## **Fever Medication Charts for Infants and Children**

Child's Weight: \_\_\_\_\_ kg

ACETAMINOPHEN (Tylenol ® or Tempra ®)				
Give every 4 to 6 hours as needed. Do not give more than <b>four</b> doses in 24 hours.				
Weight	Infants' Concentrated Drops	Children's Liquid Suspension	Children's Chewable Tablets	
	80mg in 1mL	160mg in 5mL	160mg	
3.0 - 3.9 kg	0.5 mL			
4.0 – 4.9 kg	0.75 mL			
5.0 - 5.9 kg	1 mL			
6.0 – 6.9 kg	1 mL			
7.0 – 7.9 kg	1.25 mL			
8.0 – 8.9 kg	1.5 mL			
9.0 – 9.9 kg	1.5 mL			
10.0 – 10.9 kg	1.75 mL			
11.0 – 11.9 kg	2 mL		1 tablet	
12.0 – 15.9 kg		5 mL	1 tablet	
For children over 15.9 kg, give according to instructions on medication bottle				

## IBUPROFEN (Advil ® or Motrin ®)

\*CONSULT WITH DOCTOR BEFORE GIVING TO CHILDREN UNDER THE AGE OF 6 MONTHS
THIS TABLE IS FOR USE WITH CHILDREN OVER THE AGE OF 6 MONTHS

Give every 6 to 8 hours as needed. Do not give more than three doses in 24 hours.

Weight	Infants' Pediatric Drops	Children's Oral Suspension	Junior Strength Chewable Tablets
	200mg in 5mL	100mg in 5mL	100mg
5.0 - 5.9 kg	1.25 mL		
6.0 – 6.9 kg	1.5 mL		
7.0 – 7.9 kg	1.75 mL		
8.0 – 8.9 kg	2 mL		
9.0 – 9.9 kg	2.25 mL		
10.0 - 15.9 kg		5 mL	1 tablet
16.0 – 21.0 kg		7.5 mL	1.5 tablets
21.1 kg – 26.5 kg		10 mL	2 tablets
26.6 kg – 32.0 kg		12.5 mL	2.5 tablets
32.1 kg – 43.0 kg		15 mL	3 tablets